


## Series 8, Built-in compact oven with microwave function, 60 x 45 cm, Black CMG978NB1A



HEZ327000 Pizza stone, HEZ531010 Baking tray, non-stick ceramic coated, HEZ532010 Universal pan, non-stick ceramic coated, HEZ617000 Pizza pan, enamelled, HEZ629070 Air Fry & Grill tray, HEZ631070 Baking tray, enamelled, HEZ632070 Multipurpose pan, enamelled, HEZ634000 Baking and roasting grid, HEZ636000 Glass pan, HEZ660050 Cover Strip, HEZ660060 Strip, HEZ664000 Baking and roasting grid, steam, HEZ6BMA00 Assembly kit for vertical installation, HEZ915003 Glass roasting dish, 5,4 L

## The compact microwave oven with Digital Control Ring and TFT-touchdisplay. Assist function for meals: automatically prepares your dishes, PerfectRoast Plus, PerfectBake Plus, Home Connect for control via the App.

- **TFT Touch Display Pro:** control with an innovative Digital Control Ring and full TFT touchscreen.
- **PerfectBake Plus:** regulates settings and tells you exactly when to remove dishes from the oven.
- **PerfectRoast Plus:** knows exactly when your roast is done.
- **Air Fry Function with tray:** for perfectly fried foods, such as vegetables and chips.
- **Assist Function:** sets the optimal type of heat, temperature and time for a wide range of dishes.

Additional function: ..... Microwave combination  
 Color / Material Front: ..... Black  
 Built-in / Free-standing: ..... Built-in  
 Door opening: ..... Handle  
 Door colour: ..... Black  
 Cleaning : ..... Pyrolytic+Hydrolytic  
 Control Panel Material: ..... Glass  
 Dimensions (HxWxD): ..... 455x594x548 mm  
 Dimensions of the packed product (HxWxD): ..... 530 x 660 x 680 mm  
 Required niche size for installation (HxWxD): ..... 450-455 x 560-568 x 550 mm  
 Cavity dimensions: ..... 237 x 480 x 392 mm  
 Cavity capacity: ..... 45 l  
 Max. microwave power level<sup>1</sup>: ..... 900 W  
 Number of interior lights: ..... 1  
 Net weight: ..... 36.5 kg  
 Gross weight: ..... 39.7 kg  
 EAN code: ..... 4242005326129  
 Connection rating: ..... 3600 W  
 Fuse protection: ..... 16 A  
 Voltage: ..... 220-240 V  
 Frequency: ..... 50; 60 Hz  
 Length electrical supply cord: ..... 150 cm



<sup>1</sup> Intelligent inverter technology: maximum output power will be regulated to 600 W when used in longer operation

## **Series 8, Built-in compact oven with microwave function, 60 x 45 cm, Black CMG978NB1A**

**The compact microwave oven with Digital Control Ring and TFT-touchdisplay. Assist function for meals: automatically prepares your dishes, PerfectRoast Plus, PerfectBake Plus, Home Connect for control via the App.**

### **Heating Functions**

- Compact oven with microwave with 22 heating methods: 4D HotAir, Top/bottom heating, Hot air grilling, Full width grill, Half width grill, Pizza setting, Bottom heating, Intensive heat, Slow cooking, Defrost, Preheat ovenware, Drying, Keep warm, Hotair gentle, Conventional heat gentle, AirFry, Pure microwave, 4D hotair + microwave, Top/bottom heat + microwave, grill + microwave, half width grill + microwave, hotair grilling + microwave
- Heating methods only via Home Connect App: let rest, preheating
- Max. Power: 900 W; 5 Microwave power settings (90 W, 180 W, 360 W, 600 W, boost) with Inverter (MW)
- Intelligent inverter technology: maximum output power will be regulated to 600 W when used in longer operation
- Temperature range 30 °C - 300 °C
- Cavity volume: 45 net usable litres
- Cavity: smooth

### **Racks and Rails**

- Number of shelf levels: 3
- 1 level telescopic rail, pyrolytic proof

### **Design**

- Carbon Black Design
- Touch control
- Digital Control Ring
- Cavity inner surface: enamel
- Extra large capacity oven

### **Cleaning**

- Pyrolytic self-cleaning function
- Cleaning Assistance (HydroClean program)

### **Convenience**

- Oven Assistant with Voice Control
- TFT-touchdisplay Pro
- Electronic clock/timer with end time programming
- Automatic temperature proposal, Residual heat indicator, Actual temperature display, Meat probe function
- Drop down door
- Oven door with SoftOpen and SoftClose door
- Bosch Assist - a menu of dishes for automatic cooking
- PerfectRoast Plus multipoint meat probe
- PerfectBake plus
- Air Fry Function
- Automatic rapid heat function
- Crisp Finish

- LED light
- Integrated cooling fan
- HomeConnect
- 4D HotAir: even heat distribution on any level, also simultaneously

### **Accessories**

- 1 x air fry & grill tray, 1 x combination grid, 1 x universal pan

### **Safety Features**

- Maximum door temperature 30° C
- Quadruple glazed CoolTouch door
- Electronic door lock, Child lock, Automatic safety switch off function, Residual heat indicator, Start button, Door contact switch

### **Technical Information**


- Length of mains cable: 150 cm
- Nominal voltage: 220 - 240 V
- Total connected load electric: 3.6 KW

### **Dimensions**

- Appliance dimensions (HxWxD): 455 mm x 594 mm x 548 mm
- Installation dimensions (HxWxD): 450 mm - 455 mm x 560 mm - 568 mm x 550 mm
- Please reference the built-in dimensions provided in the installation drawing
- We recommend you to choose complementary products within SER8, in order to assure an optimal design combination of your Built-In appliances.

**Series 8, Built-in compact oven with  
microwave function, 60 x 45 cm,  
Black  
CMG978NB1A**

Measurements in mm




**A:** 19.5 mm


**B:** Space for appliance connection  
320 x 115 mm

**C:** Ventilation space in the base  $\geq 200 \text{ cm}^2$


**Installing two appliances on top of each other**  
**Air exchange**



**A:** Air inlet  $\geq 200 \text{ cm}^2$




measurements in mm



measurements in mm

## Installation with a hob.



measurements in mm

If the compact appliance will be installed underneath a hob, the following worktop thicknesses (including substructure if necessary) must be taken into account.

| Hob type                      | min. worktop thickness |       |
|-------------------------------|------------------------|-------|
|                               | fitted                 | flush |
| Induction hob                 | 42 mm                  | 43 mm |
| Full surface<br>Induction hob | 52 mm                  | 53 mm |
| Gas hob                       | 32 mm                  | 43 mm |
| Electric hob                  | 32 mm                  | 35 mm |