

### WWV980 WPS Passion W1 front-loader washing machine: A I 9 kg I 1600 rpm I M Touch I SteamCare I hot water



- Tested for 20 years of perfect laundry care\*
- Save energy in the best energy efficiency class (A)
- M Touch simple control by tapping or swiping
- SteamCare reduces ironing time by up to 50 % and freshens up your clothes
- Save up to 65 % on energy costs\*\*
   with an additional hot water
   connection
- \* During the development phase of the W1 washing machine series, Miele tested models and core components in 5000 wash loads (= 5 wash loads per week for 50 weeks per year) in various programmes. More: miele.com/20years
- \*\*\* Compared with the sole use of cold water in a 9 kg test wash in the Cottons 60 °C programme, hot water temperature 55 °C, room temperature 23 °C, no cold water in hot water line.

EAN: 4002516072720 / Material number: 10994880 / Old Material Number: 11/M/0206 C.R.

Construction type         .           Suitable for stacking         .           Side-by-side         .           Slot-in         .           Door hinge         right           Model         right           Product brand         W1 White Edition           Front-loader         .           Spinning         .           Max. spin speed         1600           Rinse hold         .           Without spin function         .           Design         .           Appliance colour         Lotus white           Control panel colour         Lotus white           Control panel version         5° inclined           Control panel version         5° inclined           Control type         Touch control           Display         MTouch           Cleaning performance         .           Innovative PowerWash technology         .           TwinDos automatic detergent dispensing         .           CapDosing portioned dispensing         .           Catified virus hygiene         .           Gentle laundry care         .           Honeycomb drun         .           Load in kg         .	Old Material Number: 11WV9806GB	
Side-by-side Slot-in Door hinge Model Product brand Front-loader Spinning Max spin speed Rinse hold Without spin function Design Appliance colour Control panel colour Control panel colour Door design Control panel version Sipslay Cleaning performance Innovative PowerWash technology TwinDos automatic detergent dispensing Cartified virus hygiene Gentle laundry care Honeycomb drum Load in kg User convenience Networking with Miele@home Delay start up to 24 hours Time left display Time of day display Programmes equence indicator Washing assistant Information text Favourite programmes Methodicator Washing assistant Information text Favourite programmes AutoClean detergent drawer Load in dicator and dispensing recommendation AutoClean detergent drawer Load indicator and dispensing recommendation AutoClean detergent drawer Load indicator and dispensing recommendation AddLoad Efficiency and sustainability Energy efficiency class (A-G) Weighted water consumption per 100 operating cycles for the wash cycle in kWh Weighted water consumption per cycle in I	Construction type	
Slot-in	Suitable for stacking	•
Door hinge   Product brand	Side-by-side	•
Model         W1 White Edition           Front-loader         •           Spinning         •           Max. spin speed         1600           Rinse hold         •           Without spin function         •           Design         -           Appliance colour         Lotus white           Control panel colour         Lotus white           Door design         Alu silver with chrome ring           Control panel version         5° inclined           Control type         Touch control           Display         MTouch           Cleaning performance         MTouch           Innovative Power/Wash technology         •           TwinDos automatic detergent dispensing         •           CapDosing portioned dispensing         •           Stains option         •           Certified virus hygiene         •           Gentle laundry care         •           Honeycomb drum         •           Load in kg         9,0           User convenience         •           Networking with Miele@home         •           Delay start up to 24 hours         •           Time left display         •           Time left display <td>Slot-in</td> <td>•</td>	Slot-in	•
Product brand W1 White Edition Front-loader Spinning Max. spin speed Rinse hold Without spin function Design Appliance colour Control panel colour Control panel version Control type Touch control Display Cleaning performance Innovative Power/Wash technology TwinDos automatic detergent dispensing Cartified virus hygiene Gentle laundry care Honeycomb drum Load in kg User convenience Networking with Miele@home Delay start up to 24 hours Time left display Frogrammes sequence indicator Washing assistant Information text Favourite programmes Pure Hole and dispensing recommendation AddLoad Efficiency and sustainability Energy efficiency class (A-G) Weighted water consumption per cycle in I	Door hinge	right
Front-loader Spinning Max, spin speed Rinse hold Without spin function Design Appliance colour Appliance colour Door design Alu silver with chrome ring Control panel version Control type Touch control Display Cleaning performance Innovative PowerWash technology TwinDos automatic detergent dispensing Captosing portioned dispensing Stains option Certified virus hygiene Gentle laundry care Honeycomb drum Load in kg User convenience Networking with Miele@home Delay start up to 24 hours Time left display Time of day display Programme sequence Indicator Washing assistant Information text Favourite programmes Drum lighting MultiLingua AutoClean detergent drawer Load indicator and dispensing recommendation AddLoad Efficiency and sustainability Energy efficiency class (A-G) Weighted water consumption per 100 operating cycles for the wash cycle in kWh Weighted water consumption per cycle in I	Model	
Spinning     1600       Rinse hold     •       Without spin function     •       Design     Lotus white       Appliance colour     Lotus white       Control panel colour     Lotus white       Door design     Alu silver with chrome ring       Control panel version     5° inclined       Control type     Touch control       Display     MTouch       Cleaning performance     Innovative PowerWash technology       Innovative PowerWash technology     •       Twin Dos automatic detergent dispensing     •       Stains option     •       Certified virus hygiene     •       Gentle laundry care     •       Honeycomb drum     •       Load in kg     9,0       User convenience     •       Networking with Miele@home     •       Delay start up to 24 hours     •       Time left display     •       Programme sequence indicator     •       Washing assistant     •       Information text     •       Favourite programmes     •       Drum lighting     LED       MultiLingua     •       AutoClean detergent drawer     •       Load indicator and dispensing recommendation     •       AddLoad     •	Product brand	W1 White Edition
Max. spin speed       1600         Rinse hold       •         Without spin function       •         Design       Lotus white         Appliance colour       Lotus white         Control panel colour       Lotus white         Door design       Alu silver with chrome ring         Control panel version       5° inclined         Control type       Touch control         Display       MTouch         Cleaning performance       Innovative PowerWash technology         Innovative PowerWash technology       •         Twin Dos automatic detergent dispensing       •         Stains option       •         CapDosing portioned dispensing       •         Stains option       •         Certified virus hygiene       •         Gentle laundry care       •         Honeycomb drum       •         Load in kg       9,0         User convenience       Networking with Mitele@home         Networking with Mitele@home       •         Delay start up to 24 hours       •         Time left display       •         Programme sequence indicator       •         Washing assistant       •         Information text       • <td>Front-loader</td> <td>*</td>	Front-loader	*
Rinse hold  Without spin function  Design  Appliance colour  Control panel colour  Control panel version  Control panel version  Control type  Touch control  Display  Cleaning performance  Innovative PowerWash technology  TwinDos automatic detergent dispensing  CapDosing portioned dispensing  Stains option  Certified virus hygiene  Gentle laundry care  Honeycomb drum  Load in kg  User convenience  Networking with Miele@home  Delay start up to 24 hours  Time left display  Programme sequence indicator  Washing assistant  Information text  Favourite programmes  Drum lighting  LED  MultiLingua  AutoClean detergent dispensing recommendation  AddLoad  Efficiency and sustainability  Energy efficiency class (A-G)  Weighted water consumption per 100 operating cycles for the wash cycle in kWh  Weighted water consumption per cycle in I	Spinning	
Without spin function  Design  Appliance colour  Lotus white  More with Ansiever inclined  For out-on-on-on-on-on-on-on-on-on-on-on-on-on-	Max. spin speed	1600
Design         Lotus white           Control panel colour         Lotus white           Door design         Alu silver with chrome ring           Control panel version         5° inclined           Control type         Touch control           Display         MTouch           Cleaning performance         Innovative PowerWash technology           Innovative PowerWash technology         •           TwinDos automatic detergent dispensing         •           CapDosing portioned dispensing         •           Stains option         •           Certified virus hygiene         •           Gentle laundry care         •           Honeycomb drum         •           Load in kg         9,0           User convenience         •           Networking with Miele@home         •           Delay start up to 24 hours         •           Time left display         •           Time left display         •           Programme sequence indicator         •           Washing assistant         •           Information text         •           Favourite programmes         •           Drum lighting         LED           MultiLingua         •	Rinse hold	*
Appliance colour  Control panel colour  Door design  Control panel version  Control type  Touch control  Display  MTouch  Cleaning performance  Innovative Power/Wash technology  TwinDos automatic detergent dispensing  CapDosing portioned dispensing  CapDosing portioned dispensing  Catified virus hygiene  Gentle laundry care  Honeycomb drum  Load in kg  User convenience  Networking with Miele@home  Delay start up to 24 hours  Time left display  Time of day display  Programme sequence indicator  Washing assistant  Information text  Favourite programmes  Drum lighting  AutoClean detergent drawer  Load indicator and dispensing recommendation  AddLoad  Efficiency and sustainability  Energy efficiency class (A–G)  Weighted water consumption per 100 operating cycles for the wash cycle in kWh  Weighted water consumption per cycle in 1	Without spin function	*
Control panel colour Door design Control panel version Control type Touch control Display MTouch Cleaning performance Innovative PowerWash technology TwinDos automatic detergent dispensing CapDosing portioned dispensing CapDosing portioned dispensing Captified virus hygiene Certified virus hygiene Centified virus hygiene  Centified virus hygiene  Centified virus hygiene  Centified virus hygiene  Centified virus hygiene  Centified virus hygiene  Convenience  Networking with Miele@home  Polay start up to 24 hours  Imperit display  Impe	Design	
Control panel colour Door design Control panel version Control type Touch control Display MTouch Cleaning performance Innovative PowerWash technology TwinDos automatic detergent dispensing CapDosing portioned dispensing CapDosing portioned dispensing Captified virus hygiene Certified virus hygiene Centified virus hygiene  Centified virus hygiene  Centified virus hygiene  Centified virus hygiene  Centified virus hygiene  Centified virus hygiene  Convenience  Networking with Miele@home  Polay start up to 24 hours  Imperit display  Impe	Appliance colour	Lotus white
Control panel version Control type Touch control Display MTouch Cleaning performance Innovative PowerWash technology TwinDos automatic detergent dispensing CapDosing portioned dispensing Stains option Certified virus hygiene Gentle laundry care Honeycomb drum Load in kg User convenience Networking with Miele@home Delay start up to 24 hours Time left display Time of day display Programme sequence indicator Washing assistant Information text Favourite programmes Drum lighting MultiLingua AutoClean detergent drawer Load indicator and dispensing recommendation AddLoad Efficiency and sustainability Energy efficiency class (A-G) Weighted water consumption per 100 operating cycles for the wash cycle in kWh Weighted water consumption per cycle in I	Control panel colour	Lotus white
Control type Touch control Display MTouch Cleaning performance Innovative PowerWash technology • TwinDos automatic detergent dispensing • CapDosing portioned dispensing • Stains option • Certified virus hygiene • Gentle laundry care Honeycomb drum • Load in kg 9,0 User convenience Networking with Miele@home • Delay start up to 24 hours • Time left display • Time of day display • Programme sequence indicator • Washing assistant Information text Favourite programmes Drum lighting LED MultiLingua • AutoClean detergent drawer Load indicator and dispensing recommendation • AddLoad Efficiency and sustainability Energy efficiency class (A—G) Weighted water consumption per 100 operating cycles for the wash cycle in kWh Weighted water consumption per cycle in l	Door design	Alu silver with chrome ring
Display Cleaning performance Innovative PowerWash technology TwinDos automatic detergent dispensing CapDosing portioned dispensing Stains option Certified virus hygiene Gentle laundry care Honeycomb drum Load in kg Oser convenience Networking with Miele@home Delay start up to 24 hours Time left display Time of day display Programme sequence indicator Washing assistant Information text Favourite programmes Drum lighting MultiLingua AutoClean detergent drawer Load indicator and dispensing recommendation AddLoad Efficiency and sustainability Energy efficiency class (A–G) Weighted water consumption per cycle in I	Control panel version	5° inclined
Cleaning performance Innovative PowerWash technology .  TwinDos automatic detergent dispensing .  CapDosing portioned dispensing .  Stains option .  Certified virus hygiene .  Gentle laundry care .  Honeycomb drum .  Load in kg .  User convenience .  Networking with Miele@home .  Delay start up to 24 hours .  Time left display .  Time of day display .  Programme sequence indicator .  Washing assistant .  Information text .  Favourite programmes .  Drum lighting .  MultiLingua .  AutoClean detergent drawer .  Load indicator and dispensing recommendation .  AddLoad .  Efficiency and sustainability .  Energy efficiency class (A–G) .  Weighted water consumption per 100 operating cycles for the wash cycle in kWh .	Control type	Touch control
Innovative PowerWash technology TwinDos automatic detergent dispensing CapDosing portioned dispensing Stains option Certified virus hygiene Gentle laundry care Honeycomb drum Load in kg 9,0 User convenience Networking with Miele@home Delay start up to 24 hours Time left display Time of day display Programme sequence indicator Washing assistant Information text Favourite programmes Drum lighting MultiLingua AutoClean detergent drawer Load indicator and dispensing recommendation AddLoad Efficiency and sustainability Energy efficiency class (A–G) Weighted water consumption per cycle in I	Display	MTouch
TwinDos automatic detergent dispensing CapDosing portioned dispensing Stains option Certified virus hygiene Gentle laundry care Honeycomb drum Load in kg 9,0 User convenience Networking with Miele@home Delay start up to 24 hours Time left display Time of day display Programme sequence indicator Washing assistant Information text Favourite programmes Drum lighting MultiLingua AutoClean detergent drawer Load indicator and dispensing recommendation AddLoad Efficiency and sustainability Energy efficiency class (A–G) Weighted water consumption per 100 operating cycles for the wash cycle in kWh Weighted water consumption per cycle in I	Cleaning performance	
CapDosing portioned dispensing Stains option Certified virus hygiene Gentle laundry care Honeycomb drum Load in kg User convenience Networking with Miele@home Delay start up to 24 hours Time left display Time of day display Programme sequence indicator Washing assistant Information text Favourite programmes Drum lighting LED MultiLingua AutoClean detergent drawer Load indicator and dispensing recommendation AddLoad Efficiency and sustainability Energy efficiency class (A-G) Weighted water consumption per cycle in I  Gentle virus hygiene  P, 0  9,0  9,0  9,0  9,0  0  0  1  1  1  1  1  1  1  1  1  1  1	Innovative PowerWash technology	•
Stains option  Certified virus hygiene  Gentle laundry care  Honeycomb drum  Load in kg  User convenience  Networking with Miele@home  Delay start up to 24 hours  Time left display  Time of day display  Programme sequence indicator  Washing assistant  Information text  Favourite programmes  Drum lighting  MultiLingua  AutoClean detergent drawer  Load indicator and dispensing recommendation  AddLoad  Efficiency and sustainability  Energy efficiency class (A—G)  Weighted water consumption per 100 operating cycles for the wash cycle in kWh  Weighted water consumption per cycle in I	TwinDos automatic detergent dispensing	*
Certified virus hygiene  Gentle laundry care  Honeycomb drum  Load in kg  User convenience  Networking with Miele@home  Pelay start up to 24 hours  Time left display  Time of day display  Programme sequence indicator  Washing assistant  Information text  Favourite programmes  Drum lighting  MultiLingua  AutoClean detergent drawer  Load indicator and dispensing recommendation  AddLoad  Efficiency and sustainability  Energy efficiency class (A-G)  Weighted water consumption per 100 operating cycles for the wash cycle in kWh  Weighted water consumption per cycle in I	CapDosing portioned dispensing	+
Gentle laundry care   Honeycomb drum •   Load in kg 9,0   User convenience •   Networking with Miele@home •   Delay start up to 24 hours •   Time left display •   Time of day display •   Programme sequence indicator •   Washing assistant •   Information text •   Favourite programmes •   Drum lighting LED   MultiLingua •   AutoClean detergent drawer •   Load indicator and dispensing recommendation •   AddLoad •   Efficiency and sustainability Energy efficiency class (A-G) A   Weighted energy consumption per 100 operating cycles for the wash cycle in kWh 49   Weighted water consumption per cycle in l 48	Stains option	*
Honeycomb drum  Load in kg  User convenience  Networking with Miele@home  Delay start up to 24 hours  Time left display  Time of day display  Programme sequence indicator  Washing assistant  Information text  Favourite programmes  Drum lighting  LED  MultiLingua  AutoClean detergent drawer  Load indicator and dispensing recommendation  AddLoad  Efficiency and sustainability  Energy efficiency class (A-G)  Weighted water consumption per 100 operating cycles for the wash cycle in kWh  Weighted water consumption per cycle in I	Certified virus hygiene	*
Load in kg  User convenience  Networking with Miele@home  Delay start up to 24 hours  Time left display  Time of day display  Programme sequence indicator  Washing assistant  Information text  Favourite programmes  Drum lighting  LED  MultiLingua  AutoClean detergent drawer  Load indicator and dispensing recommendation  AddLoad  Efficiency and sustainability  Energy efficiency class (A-G)  Weighted water consumption per 100 operating cycles for the wash cycle in kWh  Weighted water consumption per cycle in I  48	Gentle laundry care	
User convenience         Networking with Miele@home       •         Delay start up to 24 hours       •         Time left display       •         Time of day display       •         Programme sequence indicator       •         Washing assistant       •         Information text       •         Favourite programmes       •         Drum lighting       LED         MultiLingua       •         AutoClean detergent drawer       •         Load indicator and dispensing recommendation       •         AddLoad       •         Efficiency and sustainability       •         Energy efficiency class (A—G)       A         Weighted energy consumption per 100 operating cycles for the wash cycle in kWh       49         Weighted water consumption per cycle in l       48	Honeycomb drum	•
Networking with Miele@home  Delay start up to 24 hours  Time left display  Time of day display  Programme sequence indicator  Washing assistant  Information text  Favourite programmes  Drum lighting  LED  MultiLingua  AutoClean detergent drawer  Load indicator and dispensing recommendation  AddLoad  Efficiency and sustainability  Energy efficiency class (A-G)  Weighted energy consumption per 100 operating cycles for the wash cycle in kWh  Weighted water consumption per cycle in I  48	Load in kg	9,0
Delay start up to 24 hours  Time left display  Time of day display  Programme sequence indicator  Washing assistant  Information text  Favourite programmes  Drum lighting  LED  MultiLingua  AutoClean detergent drawer  Load indicator and dispensing recommendation  AddLoad  Efficiency and sustainability  Energy efficiency class (A-G)  Weighted energy consumption per 100 operating cycles for the wash cycle in kWh  Weighted water consumption per cycle in I  48	User convenience	
Time left display  Time of day display  Programme sequence indicator  Washing assistant  Information text  Favourite programmes  Drum lighting  LED  MultiLingua  AutoClean detergent drawer  Load indicator and dispensing recommendation  AddLoad  Efficiency and sustainability  Energy efficiency class (A-G)  Weighted energy consumption per 100 operating cycles for the wash cycle in kWh  Weighted water consumption per cycle in I  48	Networking with Miele@home	•
Time of day display Programme sequence indicator  Washing assistant Information text Favourite programmes Drum lighting LED MultiLingua AutoClean detergent drawer Load indicator and dispensing recommendation AddLoad Efficiency and sustainability Energy efficiency class (A—G) Weighted energy consumption per 100 operating cycles for the wash cycle in kWh Weighted water consumption per cycle in I  48	Delay start up to 24 hours	•
Programme sequence indicator  Washing assistant  Information text  Favourite programmes  Drum lighting  LED  MultiLingua  AutoClean detergent drawer  Load indicator and dispensing recommendation  AddLoad  Efficiency and sustainability  Energy efficiency class (A-G)  Weighted energy consumption per 100 operating cycles for the wash cycle in kWh  Weighted water consumption per cycle in I  48	Time left display	•
Washing assistant  Information text  Favourite programmes  Drum lighting  LED  MultiLingua  AutoClean detergent drawer  Load indicator and dispensing recommendation  AddLoad  Efficiency and sustainability  Energy efficiency class (A-G)  Weighted energy consumption per 100 operating cycles for the wash cycle in kWh  Weighted water consumption per cycle in I	Time of day display	•
Information text  Favourite programmes  Drum lighting  LED  MultiLingua  AutoClean detergent drawer  Load indicator and dispensing recommendation  AddLoad  Efficiency and sustainability  Energy efficiency class (A-G)  Weighted energy consumption per 100 operating cycles for the wash cycle in kWh  Weighted water consumption per cycle in I  48	Programme sequence indicator	•
Favourite programmes  Drum lighting  LED  MultiLingua  AutoClean detergent drawer  Load indicator and dispensing recommendation  AddLoad  Efficiency and sustainability  Energy efficiency class (A-G)  Weighted energy consumption per 100 operating cycles for the wash cycle in kWh  Weighted water consumption per cycle in I  48	Washing assistant	•
Drum lighting  MultiLingua  AutoClean detergent drawer  Load indicator and dispensing recommendation  AddLoad  Efficiency and sustainability  Energy efficiency class (A—G)  Weighted energy consumption per 100 operating cycles for the wash cycle in kWh  Weighted water consumption per cycle in I  48	Information text	•
MultiLingua  AutoClean detergent drawer  Load indicator and dispensing recommendation  AddLoad  Efficiency and sustainability  Energy efficiency class (A-G)  Weighted energy consumption per 100 operating cycles for the wash cycle in kWh  Weighted water consumption per cycle in I  48	Favourite programmes	*
AutoClean detergent drawer  Load indicator and dispensing recommendation  AddLoad  Efficiency and sustainability  Energy efficiency class (A-G)  Weighted energy consumption per 100 operating cycles for the wash cycle in kWh  Weighted water consumption per cycle in I  48	Drum lighting	LED
Load indicator and dispensing recommendation  AddLoad  •  Efficiency and sustainability  Energy efficiency class (A–G)  Weighted energy consumption per 100 operating cycles for the wash cycle in kWh  Weighted water consumption per cycle in I  48	MultiLingua	*
AddLoad  Efficiency and sustainability  Energy efficiency class (A–G)  Weighted energy consumption per 100 operating cycles for the wash cycle in kWh  Weighted water consumption per cycle in I  48	AutoClean detergent drawer	•
Efficiency and sustainability  Energy efficiency class (A–G) A  Weighted energy consumption per 100 operating cycles for the wash cycle in kWh  Weighted water consumption per cycle in I 48	Load indicator and dispensing recommendation	•
Energy efficiency class (A–G) A Weighted energy consumption per 100 operating cycles for the wash cycle in kWh Weighted water consumption per cycle in I 48	AddLoad	•
Weighted energy consumption per 100 operating cycles for the wash cycle in kWh  Weighted water consumption per cycle in I  48	Efficiency and sustainability	
the wash cycle in kWh  Weighted water consumption per cycle in I  48	Energy efficiency class (A–G)	A
		49
Spin efficiency class A	Weighted water consumption per cycle in I	48
	Spin efficiency class	Α



## WWV980 WPS Passion W1 front-loader washing machine: A I 9 kg I 1600 rpm I M Touch I SteamCare I hot water



EAN: 4002516072720 / Material number: 10994880 / Old Material Number: 11WV9806GB	
Acoustic airborne noise emission class (spin cycle)	Α
Sound emissions during spin cycle in dB(A) re 1 pW	67
Duration of the "ECO 40–60" programme at nominal capacity	199
Power rating in off mode in W	0,30
Power rating in networked standby in W	0,70
Hot water connection	•
EcoFeedback	•
Low temperature wash "Cold" and "20 °C"	•
Automatic load control	•
Flow meter	•
Foam sensing	•
ProfiEco motor	•
Wash programmes	
QuickPowerWash	•
Automatic plus	•
Cottons (coloureds)	•
Minimum iron	•
Delicates	•
Shirts	•
Silk (hand-washable)	•
Woollens (hand-washable)	
,	•
Express 20	•
Dark garments	<u> </u>
Denim	<u> </u>
Outerwear	<u> </u>
Proofing	<u> </u>
Sportswear	<u> </u>
Trainers	
Down duvets	<u> </u>
Pillows	<u> </u>
Down	<u> </u>
Curtains	<u> </u>
Cottons hygiene	<u> </u>
Freshen up (steam)	
Steam care	
Clean machine	*
Cottons arrow	•
First wash	<u>*</u>
Separate rinse	<u> </u>
Starch	<u> </u>
Drain / Spin	<u> </u>
ECO 40-60	•
Washing extras	
SingleWash	•
Short	•
Soak	•
Pre-wash	*



#### WWV980 WPS Passion W1 front-loader washing machine: A | 9 kg | 1600 rpm | M Touch | SteamCare | hot water




EAN: 4002516072720 / Material number: 10994880 / Old Material Number: 11WV9806GB Additional rinse cycle Extra quiet Pre-ironing with steam Buzzer AllergoWash Safety Water protection system Waterproof-System Safety lock PIN-Code Optical interface Technical data Dimensions in mm (width) 596 Dimensions in mm (height) 850 643 Dimensions in mm (depth) Appliance depth in mm with opened door 1077 Weight in kg Total rated load in kW 2,10-2,40 220-240  $Voltage \ in \ V$ Fuse rating in A 13 Frequency in Hz 50 Length of water inlet hose in m 1,60 Length of water drain hose in m 1,50 Length of supply lead in m 2 Length of supply lead in m 2,0 Length of supply lead in m 2 Replacing lamps Service Accessories included 3 Caps UltraPhase 1 + 2 Voucher for 5 Miele UltraPhase cartridges Available display languages

Available display languages through MultiLingua


bahasa malaysia, dansk, deutsch, english (AU), english (CA), english (GB), english (US), español, français (CA), français (FR), hrvatski, italiano, magyar, nederlands, norsk, polski, português, русский, română, slovenčina, slovenščina, srpski, suomi, svenska, türkçe, українська, čeština, ελληνικά, ????????, ??, ?? ??, ????, ???

# Míele


## WWV980 WPS Passion W1 front-loader washing machine: A | 9 kg | 1600 rpm | M Touch | SteamCare | hot water




W1 drawing, facia 5 degree, measures in mm



W1 drawing, facia 5 degree, measures in mm



W1 drawing, facia 5 degree, measures in mm



W1 drawing, facia 5 degree, measures in mm